



all solutions in one partner®



## BOTOLA D'ISPEZIONE CON TELAIO IN ABS E SPORTELLO IN CARTONGESSO LASTRA 13 mm

La botola d'ispezione FER-BOARD™ risolve definitivamente ogni problema di estetica, FER-BOARD™ è la botola geometricamente perfetta con luce costante, mai fuori squadra e senza filature. Per ispezionare soffitti in cartongesso. Con dispositivo di apertura clic-clac. La botola d'ispezione FERBOARD™ può essere montata utilizzando delle semplici viti punta chiodo o incollando il telaio con un normale silicone acrilico, neutro o acetico. Intercambiabilità dello sportello garantita a vita. Facilità di posa in opera, il telaio bianco si adatterà perfettamente alla vernice durante l'installazione. Capacità produttiva di 3.000 pezzi al

### MATERIALI

Telaio in abs BIANCO. Pannello in cartongesso idro.

### AVVERTENZE

- L'utilizzo e il montaggio del prodotto è esclusivamente riservato al personale esperto
- Il prodotto è monouso nel senso che le caratteristiche di durata stabilità e tenuta sono garantite per una singola applicazione e in nessun caso può essere riutilizzato in altre applicazioni





all solutions in one partner®

## SCHEDA TECNICA - CODICE SERIE FERBOARD13™



### INFORMAZIONI PRODOTTO:

CODICE	DIMENSIONI [cm]	PESO UNITARIO [kg]	CONFEZIONE - PZ.
NAMCP04FERBOARD1	20 x 20	0,65	2
NAMCP04FERBOARD2	30 x 30	1,25	2
NAMCP04FERBOARD3	40 x 40	2,00	2
NAMCP04FERBOARD4	50 x 50	2,95	2
NAMCP04FERBOARD5	60 x 60	4,10	2

### DATI TECNICI:

PROPRIETÀ	VALORE
GUARNIZIONE	SI
PROFILO SHARK™	SI
TIPOLOGIA DI CHIUSURA	Con clic-clac
TIPOLOGIA DELLA LASTRA	Cartongesso idro
MATERIALE E COLORE CORNICE SPORTELLO	ABS bianco
MATERIALE E COLORE TELAIO	ABS bianco



all solutions in one partner®



## ACCESS PANEL WITH ABS FRAME AND PLASTERBOARD DOOR - BOARD 13 mm

The access panel FER-BOARD™ solves every problem of aesthetics, FER-BOARD™ is the access panel geometrically perfect with constant light, always in line with the frame and without strings. To inspect false ceilings. With click-clack opening system.

The FER-BOARD™ access panel can be mounted using simple nail tip screws or by gluing the frame with normal acrylic, neutral or acetic silicone. Door interchangeability guaranteed for life. Ease of installation, the white frame will adapt perfectly to the paint during installation. . For this type of access panel we cannot supply other variants than the standard ones in the catalogue. Upon request, we can supply the access panel with an opening indicator knob.

## MATERIALS

White ABS. Waterproof plasterboard

## WARNINGS

- The use and assembly of the product is exclusively reserved for skilled staff
- The product is single-use. That means its characteristics of durability, stability and tightness are guaranteed for a single application and in no case it may be reused in other applications





all solutions in one partner®

## DATA SHEET - CODE SERIES FERBOARD13™



### PRODUCT INFO:

CODE	DIMENSIONS [cm]	UNIT WEIGGHT [kg]	BOX - PCS.
NAMCP04FERBOARD1	20 x 20	0,65	2
NAMCP04FERBOARD2	30 x 30	1,25	2
NAMCP04FERBOARD3	40 x 40	2,00	2
NAMCP04FERBOARD4	50 x 50	2,95	2
NAMCP04FERBOARD5	60 x 60	4,10	2

### TECHNICAL DATA:

PROPERTIES	VALUE
GASKET	YES
SHARK™ PROFILE	YES
TYPE OF CLOSURE	With clic-clac
BOARD TYPE	Waterproof
MATERIAL AND COLOR OF DOOR FRAME	White ABS
MATERIAL AND FRAME COLOR	White ABS